

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/736,480	12/15/2003	Zhigang Qi	10964-065001	3469	
26161 FISH & RICHA	7590 02/21/2007 ARDSON PC		EXAMINER		
P.O. BOX 1022	2	CHUO, TONY SHENG HSIANG			
MINNEAPOLI	S, MN 55440-1022		ART UNIT PAPER NUMBER 1745		
		•			
SHORTENED STATUTOR	Y PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE		
3 MO	NTHS	02/21/2007	. PAP	ER	

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

	•		•				
•		Application No.	Applicant(s)				
Office Action Summary		10/736,480	QI ET AL.				
		Examiner	Art Unit				
		Tony Chuo	1745				
Period fo	The MAILING DATE of this communication apor Reply	opears on the cover sheet with	the correspondence address -	•			
WHIC - Exte after - If NO - Failu Any	ORTENED STATUTORY PERIOD FOR REP CHEVER IS LONGER, FROM THE MAILING I nsions of time may be available under the provisions of 37 CFR 1 SIX (6) MONTHS from the mailing date of this communication. O period for reply is specified above, the maximum statutory period are to reply within the set or extended period for reply will, by staturely received by the Office later than three months after the mailed patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNICA: .136(a). In no event, however, may a reply d will apply and will expire SIX (6) MONTHS tte, cause the application to become ABANI	TION. be timely filed from the mailing date of this communication OONED (35 U.S.C. § 133).				
Status			•				
1)⊠	Responsive to communication(s) filed on 04	December 2006.					
2a) <u></u> ☐	This action is FINAL . 2b)⊠ Th	is action is non-final.					
3)							
	closed in accordance with the practice under	Ex parte Quayle, 1935 C.D. 1	1, 453 O.G. 213.				
Disposit	ion of Claims						
4)🖂	Claim(s) 1-23 and 33-39 is/are pending in the	e application.					
	4a) Of the above claim(s) is/are withdrawn from consideration.						
5)	5) Claim(s) is/are allowed.						
	6)⊠ Claim(s) <u>1-23 and 33-39</u> is/are rejected.						
-	7) Claim(s) is/are objected to.						
8)[_]	Claim(s) are subject to restriction and	for election requirement.					
Applicat	ion Papers						
9)[The specification is objected to by the Examir	ner.					
10)⊠ The drawing(s) filed on <u>15 December 2003</u> is/are: a)⊠ accepted or b)□ objected to by the Examiner.							
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).							
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.							
Priority (under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of:							
1. Certified copies of the priority documents have been received.							
	2. Certified copies of the priority documents have been received in Application No						
3. Copies of the certified copies of the priority documents have been received in this National Stage							
application from the International Bureau (PCT Rule 17.2(a)).							
* See the attached detailed Office action for a list of the certified copies not received.							
Attachmer	nt(s)						
	ce of References Cited (PTO-892)		mary (PTO-413)				
	ce of Draftsperson's Patent Drawing Review (PTO-948) mation Disclosure Statement(s) (PTO/SB/08)		lail Date mal Patent Application				
	er No(s)/Mail Date	6) Other:					

Art Unit: 1745

DETAILED ACTION

Response to Amendment

1. Claims 1-23 and 33-39 are currently pending. Claims 1-23 and 33-39 do overcome the previously stated 102 and 103 rejections. However, upon further consideration, claims 1-23 and 33-39 are rejected under the following new 102 and 103 rejections.

Claim Rejections - 35 USC § 112

- 2. The following is a quotation of the second paragraph of 35 U.S.C. 112:

 The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
- 3. Claims 1-23 and 33-39 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. The symbol "/" does not serve public notice as to the metes and bounds of the claim. If applicant intended the symbol "/" to mean "a direct bond between the sulfur atom in the sulfonic acid moiety and the fuel cell diffusion layer", then applicant should state so in the claims. Although applicants are entitled to be their own lexicographers to define words and phrases away from their ordinary and customary meaning (see MPEP 2111), this does not include redefining what symbols mean. Finally, the symbol "/" is considered a drawing and 37 CFR 1.58 forbids drawings in claims.

Art Unit: 1745

Claim Rejections - 35 USC § 102

4. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (a) the invention was known or used by others in this country, or patented or described in a printed publication in this or a foreign country, before the invention thereof by the applicant for a patent.
- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 5. Claims 1, 2, 5, 6, 10, 13, 18-19, 33, 35, 37, and 39 are rejected under 35
 U.S.C. 102(a) as being anticipated by Inoue et al (WO 03/034519) using (US
 2004/0241078) as an English equivalent. Regarding claims 1, 2, 5, 6, 18, 33, 35, 37,
 and 39, the Inoue reference discloses a fuel cell comprising: a separator provided on an electrode element wherein the electrode element comprises an electrode diffusion layer and a catalyst layer formed on a polymer electrolyte membrane; and wherein the electrode diffusion layer is a carbon fiber woven fabric (carbon sheet) that has been treated with sulfuric acid so that a sulfonic acid moiety is covalently bonded to the carbon fiber woven fabric (See paragraph [0092] and claims 12 and 14-17).

Regarding claims 10 and 13, it also discloses treating the carbon fiber woven fabric to be hydrophilic which inherently has an initial contact angle with water of less than 125°C and has greater aqueous permeability (See paragraph [0092]).

Regarding claim 19, it also discloses a solid polymer electrolyte fuel cell which is a proton exchange membrane fuel cell (See paragraph [0001]).

6. Claims 1, 2, 5, 6, 33, 35, and 39 are rejected under 35 U.S.C. 102(b) as being anticipated by Miller (US 3637424). The Miller reference discloses a carbon cloth that

Art Unit: 1745

has been treated with an aromatic disulfonic acid such that the disulfonic acid reacts at the surface of the carbon cloth (See Abstract). Examiner's note: A recitation of intended use of the claimed invention must result in a structural difference between the claimed invention and the prior art in order to patentably distinguish the claimed invention from the prior art. Since the treated carbon cloth taught by Miller is capable of being used as a fuel cell diffusion layer, it meets the claim.

7. Claims 1, 2, 5, 6, 33-35, 38, and 39 are rejected under 35 U.S.C. 102(b) as being anticipated by Mussell et al (US 5882810). The Mussell reference discloses a carbon paper that is oxidized in a medium comprising sulfuric acid in order to increase the wettability of the carbon paper (See column 8, lines 25-29). Examiner's note: A recitation of intended use of the claimed invention must result in a structural difference between the claimed invention and the prior art in order to patentably distinguish the claimed invention from the prior art. Since the treated carbon paper taught by Mussell is capable of being used as a fuel cell diffusion layer, it meets the claim.

Claim Rejections - 35 USC § 103

- 8. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 9. Claims 3, 4, 11, and 12 are rejected under 35 U.S.C. 103(a) as being unpatentable over Inoue et al (WO 03/034519) using (US 2004/0241078) as an English

Art Unit: 1745

equivalent, and further in view of Barton et al (US 2003/0157397). The Inoue reference is applied to claim 1 for reasons stated above. However, Inoue et al does not expressly teach a sulfonic acid moiety wherein R is an alkyl substituted with halogen, a sulfonic acid moiety wherein R is an aryl substituted with halogen, or a proton conducting material that is perfluorinated sulfonic acid. The Barton reference discloses a carbon paper diffusion layer that has been treated with SO3H Nafion which is a proton conductive material that is a perfluorinated sulfonic acid (See paragraph [0100]). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the Inoue diffusion layer by treating it with a sulfonic acid mojety wherein R is an alkyl substituted with halogen, a sulfonic acid mojety wherein R is an aryl substituted with halogen, or a proton conductive material that is a perfluorinated sulfonic acid in order to further increase the hydrophilicity of the diffusion layer by utilizing a material that is known to be hydrophilic. In addition, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the Inoue diffusion layer by treating it with a sulfonic acid moiety wherein R is an aryl substituted with halogen because the substitution of an aryl for alkyl was held to be obvious (Ex parte Koster 136 USPQ 75 (PO BdPatApp 1963)).

10. Claims 7-9 are rejected under 35 U.S.C. 103(a) as being unpatentable over Inoue et al (WO 03/034519) using (US 2004/0241078) as an English equivalent, and further in view of Denton et al (EP 0791974). The Inoue reference is applied to claim 1 for reasons stated above. However, Inoue et al does not expressly teach a fuel cell diffusion layer comprising a catalyst that is Pt wherein the fuel cell diffusion layer

Art Unit: 1745

comprises from about one weight percent to about 50 weight percent of the catalyst. The Denton reference discloses a catalytically active gas diffusion electrode comprising a catalyst that is 40 wt% platinum supported on carbon black (See Example 1). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the Inoue diffusion layer to include a catalyst that is Pt wherein the fuel cell diffusion layer comprises from about one weight percent to about 50 weight percent of the catalyst in order to provide a gas diffusion electrode with increased dimensional stability and flexability that can be produced at a lower cost.

- 11. Claims 14-17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Inoue et al (WO 03/034519) using (US 2004/0241078) as an English equivalent. The Inoue reference is applied to claim 1 for reasons stated above. However, Inoue et al does not expressly teach an article that has an initial contact angle with water that is at least about 15%, 20%, 30%, or 40% less than an initial contact angle of water with the diffusion layer. However, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the Inoue fuel cell to include an article that has an initial contact angle with water that is at least about 15%, 20%, 30%, or 40% less than an initial contact angle of water with the diffusion layer because the parameter optimized is recognized in the art to be a result effective variable (In re Boesch, 617 F2d 272, 205 USPQ 215 (CCPA 1980)). The initial contact angle is a result of varying the degree of hydrophilicity of the diffusion layer.
- 12. Claims 20-23 are rejected under 35 U.S.C. 103(a) as being obvious over Inoue et al (WO 03/034519) using (US 2004/0241078) as an English equivalent, and further in

Art Unit: 1745

view of Reddy et al (US 5132193). The Inoue reference is applied to claim 18 for reasons stated above. However, Inoue et al does not expressly teach a fuel cell that is a direct feed liquid fuel cell, direct alcohol fuel cell, direct methanol fuel cell, or a direct propanol fuel cell. The Reddy reference discloses a direct alcohol fuel cell that is a direct feed liquid fuel cell utilizing all C₁-C₅ primary alcohols such as methanol and propanol as the fuel (See column 3, lines 15-21). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the Inoue diffusion layer for use in a direct feed liquid fuel cell, direct alcohol fuel cell, direct methanol fuel cell, or a direct propanol fuel cell in order to utilize the diffusion layer in a fuel cell with liquid fuel that is easier to transport.

13. Claims 34, 36, and 38 are rejected under 35 U.S.C. 103(a) as being obvious over Inoue et al (WO 03/034519) using (US 2004/0241078) as an English equivalent, and further in view of Tabata et al (US 2002/0071980). The Inoue reference is applied to claims 1, 18, and 33 for reasons stated above. However, Inoue et al does not expressly teach a fuel cell diffusion layer that comprises a carbon paper. The Tabata reference discloses a gas diffusion media comprising carbon fiber woven fabric or carbon paper. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the Inoue fuel cell to include a fuel cell diffusion layer that comprises a carbon paper in order to utilize a gas permeable electroconductive sheet material that is suitable for use in fuel cells and is commercially available.

Art Unit: 1745

Response to Arguments

14. Applicant's arguments with respect to claims 1-23 and 33-39 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tony Chuo whose telephone number is (571) 272-0717. The examiner can normally be reached on M-F, 8:30AM to 5:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's trainer, Susy Tsang-Foster can be reached on (571) 272-1293. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

TC

SUSYTSANG-FOSTER
DRIMARY EXAMINER